



Ledil Oy
Salorankatu 10
FI-24240 SALO
FINLAND
www.ledil.com

Ledil Globally

Local sales and technical support available in following countries Benelux, China, Germany, Italy, Portugal, Spain, UK, USA.


See www.ledil.com

Shipping locations
Salo, Finland
Hong Kong, China

Authorized Distribution Partners
See www.ledil.com/where_to_buy



Q2/2012




SINGLE LENSES



MIRA
D= 32.4 MM
PC

BRIDGELUX ES-SERIES
C12500_MIRA-M
C12501_MIRA-W
C12502_MIRA-WW



BRIDGET / LILY / CINDY
D= 22.2 MM
METALLIZED PC

BRIDGELUX LS-SERIES
C10918_BRIDGET-S
C10919_BRIDGET-M
C10920_BRIDGET-W



BROOKE (MOLEX)
D= 45 MM
METALLIZED PC

BRIDGELUX ES-SERIES
C11506_BROOKE-S
C11507_BROOKE-M
C11508_BROOKE-W



MIRA (with holder)
D= 35 MM
PC

BRIDGELUX ES-SERIES
CA12503_MIRA-M
CA12504_MIRA-W
CA12505_MIRA-WW



BRITNEY
D= 70 MM
METALLIZED PC

BRIDGELUX RS-SERIES
CA11401_BRITNEY-M
CA11402_BRITNEY-W



BARBARA
D= 70 MM
METALLIZED PC

BRIDGELUX ES-SERIES
C11552_BARBARA-S
C11553_BARBARA-W
C12461_BARBARA-WW



BROOKE
D= 45 MM
METALLIZED PC

BRIDGELUX ES-SERIES
CA11181_BROOKE-S
CA11182_BROOKE-M
CA11183_BROOKE-W



LENINA
D= 74 MM
METALLIZED PC

BRIDGELUX ES
CN12600_LENINA-S
CN12601_LENINA-M
CN12602_LENINA-W
CN12603_LENINA-S-DL
CN12604_LENINA-M-DL
CN12605_LENINA-W-DL




LENA
D= 111 MM
METALLIZED PC

BRIDGELUX ES-SERIES
CN12157_LENA-S
CN12159_LENA-S-DL
CN12164_LENA-M
CN12168_LENA-M-DL
CN12158_LENA-W
CN12160_LENA-W-DL

BRIDGELUX RS
CN12656_LENINA-S
CN12657_LENINA-M
CN12658_LENINA-W
CN12659_LENINA-S-DL
CN12660_LENINA-M-DL
CN12661_LENINA-W-DL

BRIDGELUX RS-SERIES
CN12301_LENA-S
CN12304_LENA-S-DL
CN12302_LENA-M
CN12305_LENA-M-DL
CN12303_LENA-W
CN12306_LENA-W-DL



BEAM ANGLE RANGE (FWHM)

Spot (RS, SS, S)	3-18 degrees
Medium (D, M, M2)	19 - 35 degrees
Wide (W, W2)	36 - 45 degrees
Extra Wide (WW)	46 - 63 degrees
WWW	64 -> degrees
O	Oval
REC	Rectangular

PREFIXES

F = FI / optic or holder

FA = FI / assembled optic+holder / tape

FN = FI / unassembled optic+holder / no tape

FX = FI / unassembled optic+holder / tape

FP = FI / assembled optic+holder/no tape

FCA = FI / assembled optic+holder / tape

FCN = FI / unassembled optic+holder / no tape

FCX = FI / unassembled optic+holder / tape

FI = Finland, Country of Origin

C = CN / optic or holder

CA = CN / assembled optic+holder / tape


CN = CN / unassembled optic+holder / no tape

CX = CN / unassembled optic+holder / tape

CP = CN / assembled optic+holder / no tape

CN = China, Country of Origin

Qualification of LEDs with our optics occurs every day, please visit www.ledil.com for the latest information. Contact sales@ledil.com if you do not see an optic qualified for your LED of choice.





Our Company

The only true specialist in the field of secondary optics for high-power and lighting-class LEDs, LEDiL has been producing precision-engineered optics and reflectors since 2002 and now boasts nearly 1000 standard products optimized for use with LEDs produced by the world's prominent LED manufacturers.

Custom solutions are also commonly developed with minimal end-user tooling investment required. With production in Finland and China and a global network of authorized distributors, LEDiL's products are market-competitive and readily available.



Quality

Innovative and skillful designers engineer quality into every LEDiL optic. All our lenses are produced by a unique injection molding process, which ensures high optical quality, performance, lifetime and functionality. Our optics can work in extreme conditions.

