

Date: November 06, 2015 PCN: PCN LEDIL 112 a, b, c, d

Subject: PCN 112.a - Change of packaging quantities

Description: As part of our continuous improvement process regarding the logistics

LEDiL has changed the packaging quantities of following products.

Time line: This change is valid immediately

Changes:

AFFECTED PRODUCT	Old BOX qty.	Upd. BOX qty.	Old MPQ	Upd. MPQ	Old MOQ	Upd. MOQ	Old Gr2	Upd. Gr2	Old Gr3	Upd. Gr3
C14353_FLORENCE-1R-CLIP-A	2880	2880	60	60	900	720				
C14409_FLORENCE-1R-CLIP-B	2880	2880	60	60	900	720				
FN14074_STELLA-HB	120	70	10	10	50	70	2000	2030	10000	10010
C14751_FLORENCE-1R-CLIP-C	2880	2880	60	60	900	720				

Contact information: Tero Mäkinen

LEDIL Oy

Salorankatu 10



Date: November 06, 2015 PCN: PCN LEDIL 112 a, b, c, d

Subject: PCN 112.b – Change of product mechanical design

Description: As part of our continuous improvement process regarding the quality of

our products LEDiL has moved the screw holes in C14305_STELLA-CLAMP-CXA15-18 to improve mechanical functioning between different

COB versions.


Time line: This change is valid immediately

Affected products: C14305_STELLA-CLAMP-CXA15-18

Included in assemblies: FCN14412_STELLA-A

FCN14661_STELLA-A

Changes: Screw hole positions have been changed accordingly.



Contact information: Tero Mäkinen

LEDIL Oy

Salorankatu 10



Date: November 06, 2015 PCN: PCN LEDIL 112 a, b, c, d

Subject: PCN 112.c – Change of product mechanical design

Description: As part of our continuous improvement process regarding the quality of

our products LEDiL has widened the area for screw heads in C13709_PF-SOCKET-VERO13-18 to allow fastening with washers and spring washers.

This change doesn't cause optical changes to products.

Time line: LEDiL offers last buy opportunity to customers until December 6th 2015


after which only improved products are available


Affected products: C13709_PF-SOCKET-VERO13-18 and all its assemblies.

Changes: Area reserved for screw heads has been enlarged from 6.1mm to 7.5mm.



NEW VERSION





Contact information: Tero Mäkinen

LEDIL Oy

Salorankatu 10



Date: November 06, 2015 PCN: PCN LEDIL 112 a, b, c, d

Subject: PCN 112.d – EOL notice

Description: As part of our continuous improvement process regarding the quality of

our products LEDiL is planning to obsolete some BRIDGET-family reflectors and replace them with BRIDGET-UNI counterparts due the

possible clash with some COBs.

Time line: LEDiL offers last buy opportunity to customers until December 2nd 2015

after which only improved BRIDGET-UNI products are available

Affected products: C10918_BRIDGET-S

C10919_BRIDGET-M C10920_BRIDGET-W

Changes: Products will be replaced as follows.

C10918_BRIDGET-S \rightarrow C13557_BRIDGET-S-UNI C10919_BRIDGET-M \rightarrow C13556_BRIDGET-M-UNI C10920_BRIDGET-W \rightarrow C13555_BRIDGET-W-UNI

(CONTINUES ON PAGE 5)

Contact information: Tero Mäkinen

LEDIL Oy

Salorankatu 10




Date: November 06, 2015 PCN: PCN LEDIL 112 a, b, c, d

Subject: PCN 112.d – EOL notice

(CONTINUED FROM PAGE 4)

Mechanical and optical differences between the products:



	S	S-UNI	М	M-UNI	W	W-UNI
Imax (cd/lm)	1.08	1.09	1.18	0.99	0.97	0.91
FWHM C0-C180 (°)	41.80	43.20	49.80	53.40	60.30	60.90
10% C0-C180 (°)	97.20	95.00	80.50	86.50	85.20	86.40
LOR (%)	85.10	84.90	83.30	81.60	87.60	84.70

Contact information: Tero Mäkinen

LEDIL Oy

Salorankatu 10